

Certificate of Analysis No. 2016 – 096

Balsam „Onetwoslim”

Food supplement
 100 mL

Batch No: 020316
 Batch Size: 5668 units
 Date of production: 03.03.2016.
 Expiry Date: 03.2018.

No.	Test	Specification	Result
1.	<i>Appearance</i>	Light brown to dark brown, opaque, aromatic liquid with a characteristic strawberry flavour	Light brown opaque, aromatic liquid with a characteristic strawberry flavour
2.	<i>pH</i>	2.5 – 5.0	3.3
3.	<i>Density</i>	0.990 – 1.140 g/cm ³	1.064 g/cm ³
4.	<i>Sugar content</i>	15.0 – 25.0 %	18.6 %
6.	<i>Extractable volume</i>	100 mL ± 4 mL; 250 mL ± 9 mL	100 mL
7.	Microbial limits: 1) total aerobic microbial count 2) total yeast and mould count (TYMC); 3) Escherichia coli 4) Salmonella	1) Not more than 10 ⁴ KVV/g 2) Not more than 10 ² KVV/g 3) Absent 1 g 4) Absent 25 g	Not performed

* Microbial purity is performed for each 10th batch.

Conclusion: balsam „Onetwoslim” batch No. 020316 (LV) conforms to the requirements of quality specification SLV-S-KK-GP-614/1.

Head of Quality Control: L.Pitchugina



/07.03.2016

